

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### MultiGips MP KalkGips Leicht, MultiGips MP 103 L KalkGips Plus

Revision date: 07.11.2024

Page 1 of 8

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

MultiGips MP KalkGips Leicht, MultiGips MP 103 L KalkGips Plus

UFI: HC00-60K6-3001-GE2M

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

gypsum-based construction material, plaster  
industrial consumers, professional use

##### 1.3. Details of the supplier of the safety data sheet

Company name:	VG-ORTH GmbH & Co. KG	
Street:	Holeburgweg 24	
Place:	D-37627 Stadtoldendorf	
Telephone:	+49 (0) 5532 505-0	Telefax: +49 (0) 5532 505-550
E-mail:	info@vg-orth.de	
E-mail (Contact person):	sdb-info@vg-orth.de	
Internet:	www.vg-orth.com	

##### 1.4. Emergency telephone number:

Germany: Poison centre Charité Berlin: +49 30/30686 700

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No 1272/2008

Skin Irrit. 2; H315

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### Regulation (EC) No 1272/2008

###### Hazard components for labelling

calcium dihydroxide

Signal word: Danger

###### Pictograms:



###### Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

###### Precautionary statements

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P313 Get medical advice/attention.

P501 Dispose of waste according to applicable legislation.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### MultiGips MP KalkGips Leicht, MultiGips MP 103 L KalkGips Plus

Revision date: 07.11.2024

Page 2 of 8

#### 2.3. Other hazards

The product develops an alkaline pH value with moisture and can cause irritation.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Calcium sulphate of various hydrate levels with additives (Hydrated lime, mineral lightweight aggregate, Surfactant, natural oxycarboxylic acids, Cellulose ether)

##### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
7778-18-9	Calcium sulfate			> 55 %
	231-900-3		01-2119444918-26	
1305-62-0	calcium dihydroxide			5 - < 6 %
	215-137-3		01-2119475151-45	
	Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H315 H318 H335			

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
1305-62-0	215-137-3	calcium dihydroxide	5 - < 6 %
	dermal: LD50 = > 2500 mg/kg; oral: LD50 = > 2000 mg/kg		

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### After inhalation

Provide fresh air.

##### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

##### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

##### After ingestion

Rinse mouth immediately and drink 1 glass of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### MultiGips MP KalkGips Leicht, MultiGips MP 103 L KalkGips Plus

Revision date: 07.11.2024

Page 3 of 8

#### **5.2. Special hazards arising from the substance or mixture**

Non-flammable. Product hardens in contact with water.

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Provide adequate ventilation. Avoid dust formation. Do not breathe dust. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Product forms slippery coatings with water.

#### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

#### **6.3. Methods and material for containment and cleaning up**

##### **For cleaning up**

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Use only outdoors or in a well-ventilated area.

Avoid: Inhalation of dust/particles, Dermal, Eye contact

##### **Advice on protection against fire and explosion**

No special fire protection measures are necessary.

##### **Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed.

##### **Hints on joint storage**

No special measures are necessary.

#### **7.3. Specific end use(s)**

The intended use as an indoor construction product is covered by the exposure scenarios for the ingredients calcium sulphate and calcium hydroxide.

### SECTION 8: Exposure controls/personal protection

#### **8.1. Control parameters**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### MultiGips MP KalkGips Leicht, MultiGips MP 103 L KalkGips Plus

Revision date: 07.11.2024

Page 4 of 8

#### Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
1305-62-0	Calcium dihydroxide (respirable fraction)	-	1		TWA (8 h)	
		-	4		STEL (15 min)	

#### 8.2. Exposure controls



#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye/face protection. Suitable eye protection: Eye glasses with side protection.

##### Hand protection

Wear protective gloves in case of prolonged or repeated contact. Suitable gloves type: NBR (Nitrile rubber)

##### Skin protection

Use of protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Suitable respiratory protection apparatus: FFP2

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state: solid, Powder  
 Colour: white, grey  
 Odour: odourless

#### Test method

Melting point/freezing point: not determined  
 Boiling point or initial boiling point and boiling range: not determined  
 Flammability: not determined  
 Lower explosion limits: not determined  
 Upper explosion limits: not determined  
 Flash point: not applicable  
 Auto-ignition temperature: not determined  
 Decomposition temperature: not determined  
 pH-Value: 10-11 (100 g/l in water)  
 Viscosity / kinematic: not applicable  
 Water solubility: approx. 2 g/L  
 (at 20 °C)  
 Solubility in other solvents  
 not determined  
 Partition coefficient n-octanol/water: not determined  
 Vapour pressure: not determined  
 Density (at 20 °C): 2.3 g/cm<sup>3</sup> (Calcium sulphate dihydrate)  
 Relative vapour density: not determined  
 Particle characteristics: not determined

#### 9.2. Other information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### MultiGips MP KalkGips Leicht, MultiGips MP 103 L KalkGips Plus

Revision date: 07.11.2024

Page 5 of 8

#### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

#### Other safety characteristics

Solid content:

100,00 %

#### Further Information

Product/Substance is inorganic.

Thermal decomposition of Gypsum: Dehydration/calcination of the gypsum from approx. 140 °C by water release from the dihydrate to the hemihydrate and anhydrite.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

none

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

Thermal decomposition of the gypsum above 1450 °C to calcium oxide and sulphur trioxide.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Based on available data, the classification criteria are not met.

##### ATEmix calculated

ATE (oral) &gt; 2000 mg/kg; ATE (dermal) &gt; 2000 mg/kg; ATE (inhalation vapour) &gt; 20 mg/l; ATE (inhalation dust/mist) &gt; 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
1305-62-0	calcium dihydroxide				
	oral	LD50 > 2000 mg/kg	Rat		OECD 425
	dermal	LD50 > 2500 mg/kg	Rabbit		OECD 402

#### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### MultiGips MP KalkGips Leicht, MultiGips MP 103 L KalkGips Plus

Revision date: 07.11.2024

Page 6 of 8

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

The mixture does not contain substances  $\geq 0.1\%$  of substances that have endocrine disrupting properties according to Regulation (EC) No. 1907/2006, Article 59(1) or Regulation (EU) 2017/2100 or Regulation (EU) 2018/605.

#### Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
1305-62-0	calcium dihydroxide					
	Acute fish toxicity	LC50 mg/l	50,6	96 h		
	Acute algae toxicity	ErC50	48 mg/l	72 h		
	Acute crustacea toxicity	EC50 mg/l	49,1	48 h		
	Algae toxicity	NOEC	48 mg/l	72 d		
	Crustacea toxicity	NOEC	32 mg/l	14 d		

### 12.2. Persistence and degradability

Product/Substance is inorganic.

### 12.3. Bioaccumulative potential

The product has not been tested.

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

### Further information

Avoid release to the environment.

## SECTION 13: Disposal considerations

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### MultiGips MP KalkGips Leicht, MultiGips MP 103 L KalkGips Plus

Revision date: 07.11.2024

Page 7 of 8

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### List of Wastes Code - residues/unused products

170802 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); gypsum-based construction material; gypsum-based construction materials other than those mentioned in 17 08 01

##### List of Wastes Code - used product

170904 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES); other construction and demolition wastes; mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

##### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

#### SECTION 14: Transport information

##### Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

##### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

##### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

##### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

#### SECTION 15: Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

###### EU regulatory information

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

###### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).  
Water hazard class (D): 1 - slightly hazardous to water

##### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

#### SECTION 16: Other information

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### MultiGips MP KalkGips Leicht, MultiGips MP 103 L KalkGips Plus

Revision date: 07.11.2024

Page 8 of 8

#### Abbreviations and acronyms

Skin Irrit: Skin irritation  
 Eye Dam: Eye damage  
 STOT SE: Specific target organ toxicity - single exposure  
 CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 EC/EEC: European Community/European Economic Community  
 EU: European Union  
 CAS: Chemical Abstracts Service  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 M-factor: Multiplying factor  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: volatile organic compound  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Skin Irrit. 2; H315	
Eye Dam. 1; H318	Calculation method

#### Relevant H and EUH statements (number and full text)

H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H335 May cause respiratory irritation.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*